


ZODIAC







Product Code

ZODIAC 50W

Color

Black

General Specifications


Product type : Flood Light

Mounting type : By bracket

Description : Zodiac floodlights are ideal for outdoor use that ensure an excellent quality of light, it has an optimized weight and size due to its compact design, very homogenous light, energy saving up to 90% comparing to traditional floodlights.

Category : Outdoor light

Applications : Warehouse, parking, advertising signs and façade lighting.



Lighting Specifications

Wattage : 50 w

Delivered lumen : 5000 lm

Efficacy : ≥ 100 lm/w

Power Factor : 0.95

CRI : ≥ 80

Color temperature : 3000 k : 6500 k

Rated lifetime : 30,000 hrs.

Physical Specifications

Body : High pressure die cast aluminum housing

Finishes : Electrostatic painting

Diffuser : Toughened glass, high strength, impact resistance

Thermal Dissipation : Passive

Electrical Specifications

Driver : Included

Driver mounting : Integrated

Voltage : 185-265 VAC

Frequency : 50 Hz

Dimensions

Width : 200 mm

Depth : 33 mm

Height : 210 mm

Optical Specifications

Aiming : (Fixing arm) Rotatable 180°


Light distribution : Symmetric

Light emission : Direct


Beam angle : 110°



Photometric




Cone Diagram




Pictures & Accessories



Applications





Product Code

ZODIAC 100w

Color

Black

General Specifications


Product type : Flood Light

Mounting type : By bracket

Description : Zodiac floodlights are ideal for outdoor use that ensure an excellent quality of light, it has an optimized weight and size due to its compact design, very homogenous light, energy saving up to 90% comparing to traditional floodlights.

Category : Outdoor light

Applications : Warehouse, parking, advertising signs and façade lighting.



Lighting Specifications

Wattage	: 100 w
Delivered lumen	: 10000 lm
Efficacy	: ≥ 100 lm/w
Power Factor	: 0.95
CRI	: ≥ 80
Color temperature	: 3000 k : 6500 k
Rated lifetime	: 30,000 hrs.

Physical Specifications

Body	: High pressure die cast aluminum housing
Finishes	: Electrostatic painting
Diffuser	: Toughened glass, high strength, impact resistance
Thermal Dissipation	: Passive

Electrical Specifications


Driver	: Included
Driver mounting	: Integrated
Voltage	: 185-265 VAC
Frequency	: 50 Hz

Dimensions


Width	: 280 mm
Depth	: 33 mm
Height	: 288 mm

Optical Specifications


Aiming	: (Fixing arm) Rotatable 180°
Light distribution	: Symmetric
Light emission	: Direct
Beam angle	: 110°



Photometric





Cone Diagram



Pictures & Accessories



Applications





Product Code

ZODIAC 150w

Color

Black

General Specifications


Product type : Flood Light

Mounting type : By bracket

Description : Zodiac floodlights are ideal for outdoor use that ensure an excellent quality of light, it has an optimized weight and size due to its compact design, very homogenous light, energy saving up to 90% comparing to traditional floodlights.

Category : Outdoor light

Applications : Warehouse, parking, advertising signs and façade lighting.



Lighting Specifications

Wattage : 150 w

Delivered lumen : 15000 lm


Efficacy : ≥ 100 lm/w

Power Factor : 0.95

CRI : ≥ 80

Color temperature : 3000 k : 6500 k

Rated lifetime : 30,000 hrs.



Physical Specifications

Body : High pressure die cast aluminum housing

Finishes : Electrostatic painting

Diffuser : Toughened glass, high strength, impact resistance

Thermal Dissipation : Passive

Electrical Specifications

Driver : Included

Driver mounting : Integrated

Voltage : 185-265 VAC

Frequency : 50 Hz

Dimensions

Width : 348 mm

Depth : 44 mm

Height : 348 mm

Optical Specifications


Aiming : (Fixing arm) Rotatable 180°

Light distribution : Symmetric


Light emission : Direct

Beam angle : 110°

Photometric





Cone Diagram




Pictures & Accessories



Applications





Product Code

ZODIAC 200w

Color

Black

General Specifications

Product type : Flood Light

Mounting type : By bracket

Description : Zodiac floodlights are ideal for outdoor use that ensure an excellent quality of light, it has an optimized weight and size due to its compact design, very homogenous light, energy saving up to 90% comparing to traditional floodlights.

Category : Outdoor light

Applications : Warehouse, parking, advertising signs and façade lighting.

Lighting Specifications

Wattage	: 200 w
Delivered lumen	: 20000 lm
Efficacy	: ≥ 100 lm/w
Power Factor	: 0.95
CRI	: ≥ 80
Color temperature	: 3000 K : 6500 K
Rated lifetime	: 30,000 hrs.

Physical Specifications

Body	: High pressure die cast aluminum housing
Finishes	: Electrostatic painting
Diffuser	: Toughened glass, high strength, impact resistance
Thermal Dissipation	: Passive

Electrical Specifications

Driver	: Included
Driver mounting	: Integrated
Voltage	: 185-265 VAC
Frequency	: 50 Hz


Dimensions

Width	: 280 mm
Depth	: 44 mm
Height	: 280 mm


Optical Specifications

Aiming	: (Fixing arm) Rotatable 180°
Light distribution	: Symmetric
Light emission	: Direct
Beam angle	: 110°

Photometric



Cone Diagram



Pictures & Accessories



Applications

